



CAR RANGE- CYLINDER LINER

S.No.	Model	No. of Cyl.	Units	Bore Dia.	Outer Dia.	Total Length	Collar Dia.	Collar Width	SPR Part No.
1	FORD FIESTA DIESEL STD S.F	4	MM	72.4000	76.4600	138.3000	77.3500	4.4000	CL-2509
			INCHES	2.8504	3.0102	5.4449	3.0453	0.1732	
2	HONDA CITY TYPE III ZX/ FORD FIESTA PETROL STD S.F	4	MM	72.1000	74.9300	127.2000	75.6700	4.9000	CL-2415
			INCHES	2.8386	2.9500	5.0079	2.9791	0.1929	
3	HONDA CITY TYPE III ZX/ FORD FIESTA PETROL (O/S - 0.030") S.F	4	MM	72.1000	75.6900	127.2000	76.2000	4.9000	CL-2688
			INCHES	2.8386	2.9799	5.0079	3.0000	0.1929	
4	HONDA CITY TYPE I & II PETROL STD S.F	4	MM	74.2000	76.1000	133.1000	78.7800	4.8000	CL-2615
			INCHES	2.9213	2.9961	5.2402	3.1016	0.1890	
5	HYUNDAI GETZ STD S.F	4	MM	70.8000	73.7500	129.5000	74.5000	5.0000	CL-2279
			INCHES	2.7874	2.9035	5.0984	2.9331	0.1969	
6	HYUNDAI i10 KAPPA STD S.F	4	MM	69.8500	73.7000	117.8000	74.4000	4.9000	CL-2446
			INCHES	2.7500	2.9016	4.6378	2.9291	0.1929	
7	HYUNDAI VERNA STD S.F	4	MM	74.2000	78.1000	141.0000	78.9000	5.0000	CL-2303
			INCHES	2.9213	3.0748	5.5512	3.1063	0.1969	
8	HYUNDAI SANTRO 1.0L STD S.F	4	MM	64.9000	68.3200	112.1500	69.1000	4.6000	CL-2211
			INCHES	2.5551	2.6897	4.4153	2.7204	0.1811	
9	HYUNDAI SANTRO 1.0L (OD- 2.750") S.F	4	MM	65.0000	69.8500	112.8000	70.6000	5.0000	CL-2428
			INCHES	2.5591	2.7500	4.4409	2.7795	0.1969	
10	HYUNDAI SANTRO XING STD S.F	4	MM	65.2000	69.1800	113.1000	70.0000	4.9000	CL-2268
			INCHES	2.5669	2.7236	4.4528	2.7559	0.1929	
11	HYUNDAI SANTRO 1.1L XING eRLX STD S.F	4	MM	66.2000	69.4500	110.0000	70.0500	4.9000	CL-2429
			INCHES	2.6063	2.7343	4.3307	2.7579	0.1929	

OD- OUTER DIAMETER O/S- OVERSIZE CT- COLLAR THICKNESS S.F - SEMI FINISHED F.F- FULLY/PRE FINISHED



CAR RANGE- CYLINDER LINER

S.No.	Model	No. of Cyl.	Units	Bore Dia.	Outer Dia.	Total Length	Collar Dia.	Collar Width	SPR Part No.
12	MARUTI 800cc (OD- 2.800") S.F	3	MM	67.6000	71.1200	112.0000	71.6300	4.7500	CL-2453
			INCHES	2.6614	2.8000	4.4094	2.8200	0.1870	
13	MARUTI 800cc (OD- 2.812") S.F	3	MM	67.6000	71.4500	112.0000	72.4600	4.7500	CL-2454
			INCHES	2.6614	2.8130	4.4094	2.8528	0.1870	
14	MARUTI 800cc (COLLAR DIA- 2.834") S.F	3	MM	67.6000	71.5000	112.0000	72.0000	4.7500	CL-2455
			INCHES	2.6614	2.8150	4.4094	2.8346	0.1870	
15	MARUTI 800cc (COLLAR DIA- 2.860") S.F	3	MM	67.6000	71.5000	112.0000	72.6500	4.7500	CL-2456
			INCHES	2.6614	2.8150	4.4094	2.8602	0.1870	
16	MARUTI 800cc WITHOUT COLLAR S.F	3	MM	67.6000	71.5000	112.0000	-	-	CL-2676
			INCHES	2.6614	2.8150	4.4094			
17	MARUTI 800cc (OD- 2.803" & COLLAR DIA- 2.835") S.F	3	MM	67.6000	71.2000	112.0000	72.0000	4.7500	CL-2324
			INCHES	2.6614	2.8031	4.4094	2.8346	0.1870	
18	MARUTI 800cc (OD- 2.815" & COLLAR DIA- 2.845") S.F	3	MM	67.6000	71.5000	112.0000	72.2600	4.7500	CL-2325
			INCHES	2.6614	2.8150	4.4094	2.8449	0.1870	
19	MARUTI 800cc (OD- 2.825" & COLLAR DIA- 2.855") S.F	3	MM	67.6000	71.7600	112.0000	72.1700	4.7500	CL-2326
			INCHES	2.6614	2.8252	4.4094	2.8413	0.1870	
20	MARUTI 800cc (OD- 2.833" & COLLAR DIA- 2.863") S.F	3	MM	67.6000	71.9600	112.0000	72.7200	4.7500	CL-2327
			INCHES	2.6614	2.8331	4.4094	2.8630	0.1870	
21	MARUTI EECO STD S.F	4	MM	70.3000	73.9700	120.7800	74.5000	4.9500	CL-2258
			INCHES	2.7677	2.9122	4.7551	2.9331	0.1949	
22	MARUTI ESTEEM/ ESTEEM MPFi STD S.F	4	MM	73.3500	76.9900	120.7000	77.8200	4.9000	CL-2308
			INCHES	2.8878	3.0311	4.7520	3.0638	0.1929	
23	MARUTI GYPSY STD S.F	4	MM	64.5000	68.2000	112.8000	68.9600	5.0000	CL-2286
			INCHES	2.5394	2.6850	4.4409	2.7150	0.1969	

OD- OUTER DIAMETER O/S- OVERSIZE CT- COLLAR THICKNESS S.F - SEMI FINISHED F.F- FULLY/PRE FINISHED



CAR RANGE- CYLINDER LINER

S.No.	Model	No. of Cyl.	Units	Bore Dia.	Outer Dia.	Total Length	Collar Dia.	Collar Width	SPR Part No.
24	MARUTI SX4 PETROL STD. S.F	4	MM	77.3000	81.9400	133.3500	82.7000	4.8000	CL-2259
			INCHES	3.0433	3.2260	5.2500	3.2559	0.1890	
25	MARUTI ZEN PETROL STD S.F	4	MM	71.3000	74.9300	120.0000	75.7000	4.9000	CL-2235
			INCHES	2.8071	2.9500	4.7244	2.9803	0.1929	
26	MARUTI ZEN DIESEL STD. S.F	4	MM	76.2000	79.7400	133.3000	80.5000	5.0000	CL-2487
			INCHES	3.0000	3.1394	5.2480	3.1693	0.1969	
27	MARUTI SWIFT DIESEL(75 PS & 90 PS MODELS) STD S.F	4	MM	68.1000	72.3400	136.7000	73.1200	5.0000	CL-2536
			INCHES	2.6811	2.8480	5.3818	2.8787	0.1969	
28	MARUTI SWIFT DIESEL(75 PS & 90 PS MODELS) MODIFED S.F	4	MM	68.9000	72.4800	140.9000	73.4600	5.0800	CL-5966
			INCHES	2.7126	2.8535	5.5472	2.8921	0.2000	
29	MARUTI SWIFT PETROL STD S.F	4	MM	73.2000	77.0000	122.4250	77.8000	5.0500	CL-2537
			INCHES	2.8819	3.0315	4.8199	3.0630	0.1988	
30	MARUTI ASTAR/ALTO K-10 STD S.F	3	MM	73.2000	77.0000	122.4250	77.8000	5.0500	CL-2515
			INCHES	2.8819	3.0315	4.8199	3.0630	0.1988	
31	MARUTI WAGON R / ALTO (COLLAR DIA- 2.834") STD S.F	4	MM	67.6000	71.5000	112.0000	72.0000	4.7500	CL-2526
			INCHES	2.6614	2.8150	4.4094	2.8346	0.1870	
32	MARUTI WAGON R / ALTO (COLLAR DIA- 2.860") STD S.F	4	MM	67.6000	71.5000	112.0000	72.6500	4.7500	CL-2527
			INCHES	2.6614	2.8150	4.4094	2.8602	0.1870	
33	DAEWOO MATIZ (COLLAR DIA- 2.834") STD S.F	3	MM	67.6000	71.5000	112.0000	72.0000	4.7500	CL-2198
			INCHES	2.6614	2.8150	4.4094	2.8346	0.1870	
34	TATA INDICA (OD- 3.075") STD S.F	4	MM	74.1000	78.1000	133.9000	78.7800	5.0000	CL-2496
			INCHES	2.9173	3.0748	5.2717	3.1016	0.1969	
35	TATA INDICA (OD- 3.075") MOLY GOLD STD S.F	4	MM	74.1000	78.1000	133.9000	78.7800	5.0000	CL-2696
			INCHES	2.9173	3.0748	5.2717	3.1016	0.1969	

OD- OUTER DIAMETER O/S- OVERSIZE CT- COLLAR THICKNESS S.F - SEMI FINISHED F.F- FULLY/PRE FINISHED



CAR RANGE- CYLINDER LINER

S.No.	Model	No. of Cyl.	Units	Bore Dia.	Outer Dia.	Total Length	Collar Dia.	Collar Width	SPR Part No.
36	TATA INDICA (OD- 3.075") STD F.F	4	MM	75.0000	78.1000	133.9000	78.7800	5.0000	CL-2580
			INCHES	2.9527	3.0748	5.2717	3.1016	0.1969	
37	TATA INDICA (OD- 3.090") S.F	4	MM	74.1000	78.4900	133.9000	79.2000	5.0000	CL-2695
			INCHES	2.9173	3.0902	5.2717	3.1181	0.1969	
38	TATA INDICA (OD- 3.100") S.F	4	MM	74.1000	78.7400	133.9000	79.5800	5.0000	CL-2498
			INCHES	2.9173	3.1000	5.2717	3.1331	0.1969	
39	TATA INDICA (WITHOUT COLLAR) S.F	4	MM	74.1000	78.1000	136.2000	-	-	CL-2625
			INCHES	2.9173	3.0748	5.3622			
40	BMC TREKKER (OD- 3.019") S.F	4	MM	72.0000	76.6800	161.0000	77.5500	4.8800	CL-2367
			INCHES	2.8346	3.0189	6.3386	3.0531	0.1921	
41	BMC TREKKER (OD O/S- 0.020") S.F	4	MM	72.0000	77.4700	161.0000	78.2600	4.8800	CL-2501
			INCHES	2.8346	3.0500	6.3386	3.0811	0.1921	
42	BMC TREKKER WITH COLLAR STD S.F	4	MM	72.0000	76.9900	161.0000	77.5000	4.8800	CL-2551
			INCHES	2.8346	3.0311	6.3386	3.0512	0.1921	
43	BMC TREKKER WITHOUT COLLAR STD S.F	4	MM	72.0000	76.6700	161.0000	-	-	CL-2631
			INCHES	2.8346	3.0185	6.3386			

OD- OUTER DIAMETER O/S- OVERSIZE CT- COLLAR THICKNESS S.F - SEMI FINISHED F.F- FULLY/PRE FINISHED