



LCV/ MUV RANGE - CYLINDER LINER

S.No.	Model	No. of Cyl.	Units	Bore Dia.	Outer Dia.	Total Length	Collar Dia.	Collar Width	SPR Part No.
1	BAJAJ/FORCE MINIDOR STD S.F	1	MM	84.200	88.100	162.100	90.000	4.700	CL-2217
			INCHES	3.3150	3.4685	6.3819	3.5433	0.1850	
2	BAJAJ/FORCE OM 616 STD S.F	4	MM	90.000	94.080	158.100	95.880	4.700	CL-2210
			INCHES	3.5433	3.7039	6.2244	3.7748	0.1850	
3	CHEVROLET TAVERA 1A F.F	4	MM	93.035	95.020	156.000	100.950	0.870	CL-5983
			INCHES	3.6627	3.7409	6.1417	3.9744	0.0342	
4	CHEVROLET TAVERA 1B F.F	4	MM	93.045	95.020	156.000	100.950	0.870	CL-5984
			INCHES	3.6631	3.7409	6.1417	3.9744	0.0342	
5	CHEVROLET TAVERA 1C F.F	4	MM	93.055	95.020	156.000	100.950	0.870	CL-5986
			INCHES	3.6635	3.7409	6.1417	3.9744	0.0342	
6	CHEVROLET TAVERA 1D F.F	4	MM	93.065	95.020	156.000	100.950	0.870	CL-5985
			INCHES	3.6639	3.7409	6.1417	3.9744	0.0342	
7	CHEVROLET TAVERA 2A F.F	4	MM	93.035	95.030	156.000	100.950	0.870	CL-5987
			INCHES	3.6627	3.7413	6.1417	3.9744	0.0342	
8	CHEVROLET TAVERA 2B F.F	4	MM	93.045	95.030	156.000	100.950	0.870	CL-5988
			INCHES	3.6631	3.7413	6.1417	3.9744	0.0342	
9	CHEVROLET TAVERA 2C F.F	4	MM	93.055	95.030	156.000	100.950	0.870	CL-5989
			INCHES	3.6635	3.7413	6.1417	3.9744	0.0342	
10	CHEVROLET TAVERA 2D F.F	4	MM	93.065	95.030	156.000	100.950	0.870	CL-5990
			INCHES	3.6639	3.7413	6.1417	3.9744	0.0342	

OD- OUTER DIAMETER CT- COLLAR THICKNESS S.F - SEMI FINISHED F.F- FULLY/PRE FINISHED



LCV/ MUV RANGE - CYLINDER LINER

S.No.	Model	No. of Cyl.	Units	Bore Dia.	Outer Dia.	Total Length	Collar Dia.	Collar Width	SPR Part No.
11	CHEVROLET TAVERA 3A F.F	4	MM	93.035	95.040	156.000	100.950	0.870	CL-5991
			INCHES	3.6627	3.7417	6.1417	3.9744	0.0342	
12	CHEVROLET TAVERA 3B F.F	4	MM	93.045	95.040	156.000	100.950	0.870	CL-5992
			INCHES	3.6631	3.7417	6.1417	3.9744	0.0342	
13	CHEVROLET TAVERA 3C F.F	4	MM	93.055	95.040	156.000	100.950	0.870	CL-5993
			INCHES	3.6635	3.7417	6.1417	3.9744	0.0342	
14	CHEVROLET TAVERA 3D F.F	4	MM	93.065	95.040	156.000	100.950	0.870	CL-5994
			INCHES	3.6639	3.7417	6.1417	3.9744	0.0342	
15	EICHER MITSUBISHI STD S.F	4	MM	99.000	104.000	191.500	—	—	CL-2506
			INCHES	3.8976	4.0945	7.5394			
16	EICHER MITSUBISHI STD F.F	4	MM	100.000	104.050	192.100	—	—	CL-2505
			INCHES	3.937	4.0964	7.5629			
17	ISUZU DIESEL STD S.F	4	MM	83.200	88.130	165.100	88.870	5.000	CL-2280
			INCHES	3.2756	3.4697	6.5000	3.4988	0.1969	
18	LEYLAND IVECO STD S.F	4	MM	103.100	107.000	198.500	—	—	CL-2197
			INCHES	4.0591	4.2126	7.8150			
19	LEYLAND HINO NON-TURBO (W) F.F	4	MM	104.000	107.008	200.000	111.900	8.030	CL-2646
			INCHES	4.0945	4.2129	7.8740	4.4055	0.3161	
20	LEYLAND HINO NON-TURBO (X) F.F	4	MM	104.000	107.014	200.000	111.900	8.030	CL-2647
			INCHES	4.0945	4.2131	7.8740	4.4055	0.3161	

OD- OUTER DIAMETER CT- COLLAR THICKNESS S.F - SEMI FINISHED F.F- FULLY/PRE FINISHED



LCV/ MUV RANGE - CYLINDER LINER

S.No.	Model	No. of Cyl.	Units	Bore Dia.	Outer Dia.	Total Length	Collar Dia.	Collar Width	SPR Part No.
21	LEYLAND HINO NON-TURBO (Y) F.F	4	MM	104.000	107.020	200.000	111.900	8.030	CL-2648
			INCHES	4.0945	4.2134	7.8740	4.4055	0.3161	
22	LEYLAND HINO NON-TURBO (Z) F.F	4	MM	104.000	107.026	200.000	111.900	8.030	CL-2649
			INCHES	4.0945	4.2136	7.8740	4.4055	0.3161	
23	LEYLAND HINO TURBO (W) F.F	4	MM	104.000	106.981	200.500	111.900	8.030	CL-2385
			INCHES	4.0945	4.2119	7.8937	4.4055	0.3161	
24	LEYLAND HINO TURBO (X) F.F	4	MM	104.000	106.987	200.500	111.900	8.030	CL-2386
			INCHES	4.0945	4.2121	7.8937	4.4055	0.3161	
25	LEYLAND HINO TURBO (Y) F..F	4	MM	104.000	106.993	200.500	111.900	8.030	CL-2387
			INCHES	4.0945	4.2123	7.8937	4.4055	0.3161	
26	LEYLAND HINO TURBO (Z) F.F	4	MM	104.000	107.000	200.500	111.900	8.030	CL-2388
			INCHES	4.0945	4.2126	7.8937	4.4055	0.3161	
27	LEYLAND HINO TURBO (Z+) F.F	4	MM	104.008	107.040	200.000	112.000	8.060	CL-0025
			INCHES	4.0948	4.2142	7.8740	4.4094	0.3173	
28	MAHINDRA NISSAN STD S.F	4	MM	88.100	92.050	172.000	98.000	5.060	CL-2452
			INCHES	3.4685	3.624	6.7717	3.8583	0.1992	
29	MAHINDRA SCORPIO STD F.F	4	MM	94.000	110.000	176.600	115.000	9.070	CL-2391
			INCHES	3.7008	4.3307	6.9528	4.5276	0.3571	
30	MAHINDRA XYLO - D2 STD S.F	4	MM	88.100	92.025	165.000	92.950	4.830	CL-2420
			INCHES	3.4685	3.6230	6.4961	3.6594	0.1902	

OD- OUTER DIAMETER CT- COLLAR THICKNESS S.F - SEMI FINISHED F.F- FULLY/PRE FINISHED



LCV/ MUV RANGE - CYLINDER LINER

S.No.	Model	No. of Cyl.	Units	Bore Dia.	Outer Dia.	Total Length	Collar Dia.	Collar Width	SPR Part No.
31	MAHINDRA XYLO E2/E4/E6/E8 STD F.F	4	MM	94.000	109.650	176.750	115.000	9.060	CL-2307
			INCHES	3.7008	4.3169	6.9587	4.5276	0.3567	
32	MAHINDRA BOLERO STD S.F	4	MM	92.800	97.050	166.100	99.480	3.940	CL-2203
			INCHES	3.6535	3.8209	6.5394	3.9165	0.1551	
33	SWARAJ MAZDA STD F.F	4	MM	100.000	103.500	193.700	108.000	2.500	CL-2364
			INCHES	3.9370	4.0748	7.6260	4.2520	0.0984	
34	SWARAJ MAZDA STD S.F	4	MM	99.200	103.500	193.700	108.000	2.500	CL-2365
			INCHES	3.9055	4.0748	7.6260	4.2520	0.0984	
35	TATA 407 STD F.F	4	MM	97.000	100.040	177.000	103.400	4.150	CL-2265
			INCHES	3.8189	3.9386	6.9685	4.0709	0.1633	
36	TATA 407 (CT- 4.25 MM) STD S.F	4	MM	96.300	100.000	177.000	103.500	4.250	CL-2520
			INCHES	3.7913	3.9370	6.9685	4.0748	0.1673	
37	TATA 407 (CT- 4.65 MM) STD S.F	4	MM	97.000	100.000	177.000	103.500	4.650	CL-2521
			INCHES	3.8189	3.9370	6.9685	4.0748	0.1831	
38	TATA 407 EURO STD S.F	4	MM	96.100	100.080	177.000	104.750	4.600	CL-2463
			INCHES	3.7835	3.9402	6.9685	4.1240	0.1811	
39	TATA 407 EURO STD F.F	4	MM	97.000	100.050	177.000	104.830	4.600	CL-2462
			INCHES	3.8189	3.9390	6.9685	4.1272	0.1811	
40	TATA 407 EURO MOLY GOLD STD S.F	4	MM	96.100	100.080	177.000	104.750	4.600	CL-2686
			INCHES	3.7835	3.9402	6.9685	4.1240	0.1811	
41	TATA 407 EURO MOLY GOLD F.F	4	MM	97.000	100.050	177.000	104.830	4.600	CL-2685
			INCHES	3.8189	3.9390	6.9685	4.1272	0.1811	

OD- OUTER DIAMETER CT- COLLAR THICKNESS S.F - SEMI FINISHED F.F- FULLY/PRE FINISHED



LCV/ MUV RANGE - CYLINDER LINER

S.No.	Model	No. of Cyl.	Units	Bore Dia.	Outer Dia.	Total Length	Collar Dia.	Collar Width	SPR Part No.
42	TAT 407 MOLY GOLD STD S.F	4	MM	96.300	100.080	177.000	103.400	4.600	CL-2522
			INCHES	3.7913	3.9402	6.9685	4.0709	0.1811	
43	TATA 407 MOLY GOLD F.F	4	MM	97.000	100.035	177.000	103.400	4.100	CL-2602
			INCHES	3.8189	3.9384	6.9685	4.0709	0.1614	
44	TATA 609 STD S.F	4	MM	96.200	100.080	220.000	103.400	4.600	CL-2223
			INCHES	3.7874	3.9402	8.6614	4.0709	0.1811	
45	TATA 709 STD F.F	4	MM	97.000	100.020	220.000	103.355	4.600	CL-2268
			INCHES	3.8189	3.9378	8.6614	4.0691	0.1811	
46	TATA 709 STD S.F	4	MM	96.200	100.080	220.000	103.400	4.600	CL-2269
			INCHES	3.7874	3.9402	8.6614	4.0709	0.1811	
47	TATA 609/709 EURO (CT-4.25 MM) F.F	4	MM	97.000	100.000	220.000	104.850	4.250	CL-0633
			INCHES	3.8208	3.9370	8.6614	4.1280	0.1673	
48	TATA 609/709 EURO (CT-4.65 MM) F.F	4	MM	97.000	100.000	220.000	104.850	4.650	CL-0085
			INCHES	3.8208	3.9370	8.6614	4.1280	0.1831	
49	TATA 609/709 EURO (CT-4.25 MM) S.F	4	MM	96.100	100.000	220.000	104.900	4.250	CL-0086
			INCHES	3.7835	3.9370	8.6614	4.1299	0.1673	
50	TATA 609/709 EURO (CT-4.65 MM) S.F	4	MM	96.100	100.000	220.000	104.900	4.650	CL-0083
			INCHES	3.7835	3.9370	8.6614	4.1299	0.1831	
51	TATA MOBILE (OD- 3.390") THICK COLLAR S.F	4	MM	82.300	86.115	152.000	89.420	4.700	CL-2466
			INCHES	3.2402	3.3904	5.9843	3.5205	0.1850	
52	TATA MOBILE (OD- 3.390") THIN COLLAR S.F	4	MM	82.300	86.115	152.000	86.995	4.700	CL-2604
			INCHES	3.2402	3.3904	5.9843	3.4250	0.1850	

OD- OUTER DIAMETER CT- COLLAR THICKNESS S.F - SEMI FINISHED F.F- FULLY/PRE FINISHED



LCV/ MUV RANGE - CYLINDER LINER

S.No.	Model	No. of Cyl.	Units	Bore Dia.	Outer Dia.	Total Length	Collar Dia.	Collar Width	SPR Part No.
53	TATA MOBILE (OD- 3.390") THIN COLLAR MOLY GOLD S.F	4	MM	82.300	86.115	152.000	87.000	4.700	CL-2768
			INCHES	3.2402	3.3904	5.9843	3.4252	0.1850	
54	TATA MOBILE (OD- 3.390") THICK COLLAR MOLY GOLD S.F	4	MM	82.300	86.115	152.000	89.420	4.700	CL-2759
			INCHES	3.2402	3.3904	5.9843	3.5205	0.1850	
55	TATA MOBILE (OD- 3.390") WITHOUT COLLAR S.F	4	MM	82.300	86.115	152.000	—	—	CL-2697
			INCHES	3.2402	3.3904	5.9843	—	—	
56	TATA MOBILE (OD- 3.390") WITHOUT COLLAR MOLY GOLD S.F	4	MM	82.300	86.115	152.000	—	—	CL-2781
			INCHES	3.2402	3.3904	5.9843	—	—	
57	TATA MOBILE (OD- 3.400") THICK COLLAR S.F	4	MM	82.300	86.365	152.000	89.420	4.700	CL-2627
			INCHES	3.2402	3.4002	5.9843	3.5205	0.1850	
58	TATA MOBILE (OD- 3.400") THIN COLLAR S.F	4	MM	82.300	86.365	152.000	87.112	4.700	CL-2605
			INCHES	3.2402	3.4002	5.9843	3.4296	0.1850	
59	TATA MOBILE (OD- 3.405") S.F	4	MM	82.300	86.500	152.000	87.250	4.750	CL-2468
			INCHES	3.2402	3.4055	5.9843	3.4350	0.1870	
60	TATA MOBILE (OD- 3.405") MOLY GOLD S.F	4	MM	82.300	86.500	152.000	87.250	4.700	CL-2712
			INCHES	3.2402	3.4055	5.9843	3.4350	0.1850	
61	TATA MOBILE (OD- 3.410") THICK COLLAR S.F	4	MM	82.300	86.615	152.000	89.420	4.700	CL-2629
			INCHES	3.2402	3.4100	5.9843	3.5205	0.1850	
62	TATA MOBILE (OD- 3.410") THIN COLLAR MOLY GOLD S.F	4	MM	82.300	86.615	152.000	89.370	4.700	CL-2769
			INCHES	3.2402	3.4100	5.9843	3.5185	0.1850	
63	TATA MOBILE (OD- 3.425") THICK COLLAR S.F	4	MM	82.300	87.020	152.000	89.410	4.700	CL-2630
			INCHES	3.2402	3.4260	5.9843	3.5201	0.1850	

OD- OUTER DIAMETER CT- COLLAR THICKNESS S.F - SEMI FINISHED F.F- FULLY/PRE FINISHED



LCV/ MUV RANGE - CYLINDER LINER

S.No.	Model	No. of Cyl.	Units	Bore Dia.	Outer Dia.	Total Length	Collar Dia.	Collar Width	SPR Part No.
64	TATA MOBILE (OD- 3.425") THIN COLLAR S.F	4	MM	82.300	87.020	152.000	87.750	4.700	CL-2608
			INCHES	3.2402	3.4260	5.9843	3.4547	0.1850	
65	TATA MOBILE (OD- 3.425") THIN COLLAR MOLY GOLD S.F	4	MM	82.300	87.020	152.000	87.250	4.700	CL-2770
			INCHES	3.2402	3.4260	5.9843	3.4350	0.1850	
66	TOYOTA INNOVA STD S.F	4	MM	91.400	95.250	165.100	95.830	4.700	CL-2205
			INCHES	3.5984	3.7500	6.5000	3.7728	0.1850	
67	TOYOTA QUALIS STD S.F	4	MM	91.300	95.260	154.200	95.920	4.500	CL-2315
			INCHES	3.5945	3.7504	6.0709	3.7764	0.1772	

OD- OUTER DIAMETER CT- COLLAR THICKNESS SF - SEMI FINISHED FF- FULLY/PRE FINISHED