

SHRIRAM PISTONS & RINGS LTD.



MD:TS: 23/SEP'25

INTRODUCTION CIRCULAR - MARUTI CELERIO/S-PRESSO (3 Cyl.) - PA KIT

USHA is pleased to launch 'MARUTI CELERIO/ S-PRESSO/ WAGONR (3 Cyl. - 2014 onwards)' PA Kit in its aftermarket Car/ PV product range.















Technical details of 'MARUTI CELERIO/ S-PRESSO/ WAGONR (3 Cyl. - 2014 onwards)' Piston & Ring set (MARUTI ALTO K10- C23) are as under:

Piston:

| Technical Data - Pisto | on USHA Code→ C33 |
|---------------------------|-------------------|
| Nominal Bore Diameter | 73.00 |
| Piston Diameter | 72.984 |
| Piston to Liner Clearance | 0.016 |
| Compression Height | 27.25 |
| Total Height | 44.50 |
| Gudgeon Pin Length X OD | 48.00 X 18.00 |

All dimensions are in mm

Piston Rings:

| Technical Data - MARUTI ALTO K10 'HPVENT Rings (USHA CODE-C23) | | | | | | | |
|--|-----------------------------------|----------------------------|----------------------|--------|------------------|---------------|--|
| Ding | Ring Configuration | Axial Thickness (mm) | Closed Gap | | Surface | Cross Soction | |
| Ring | | | (mm) | (Thou) | Treatment | Cross Section | |
| Тор | Inside Bevel Steel (HPIBGN) | 1.00 | 0.15-0.28 | 06-11 | Gas Nitriding | | |
| 2 nd | Taper Outside Step (TOS) | 1.20 | 0.28-0.41 | 11-16 | Parkerising | | |
| Oil | RIKVENT | 2.00 | 0.20-0.50 (Rails) | 08-20 | Gas Nitriding | | |

All dimensions are in mm

Cylinder Liner:

Cylinder liner is made from Cast Iron material using latest Centrifugal casting process having good castability, machinability and superior surface finish for better performance, minimum oil consumption, blow-by & friction etc.

| Technical Data - S.F Cylinder liner | | | | | | |
|-------------------------------------|------------------------|--------------------|--|--|--|--|
| Parameter | Dimensions (Inches) | Dimensions (mm) | | | | |
| Bore Diameter | 2.850 | 72.40 | | | | |
| Outer Diameter | 2.985 | 75.84 | | | | |
| Total Length | 5.000 | 127.00 | | | | |
| Collar Diameter | 3.016 | 76.62 | | | | |
| Collar Width | 0.183 | 4.65 | | | | |

USHA 'MARUTI CELERIO/ S-PRESSO/ WAGONR (3 Cyl. - 2014 onwards)' piston assemblies along with superior quality cylinder liners & supplied as PA kits for low oil consumption, blow-by & improved performance in an attractive packaging.







Technical Product News is an exclusive update of product & information from

Shriram Pistons & Rings Ltd., 3rd Floor, Himalaya House, 23, Kasturba Gandhi Marg, New Delhi-110001

Tel: 011-46451100, 23315941, Email: tss@shrirampistons.com, Website: www.shrirampistons.com